

United States Department of the Interior
National Park Service

KI 581

For NPS use only

National Register of Historic Places
Inventory—Nomination Form

received

date entered

See instructions in *How to Complete National Register Forms*
Type all entries—complete applicable sections

17-115

1. Name

historic Queen Anne High School

and or common

2. Location

street & number 215 Galer Street not for publication

city, town Seattle vicinity of

state Washington code 053 county King code 033

3. Classification

Category	Ownership	Status	Present Use	
<input type="checkbox"/> district	<input checked="" type="checkbox"/> public	<input type="checkbox"/> occupied	<input type="checkbox"/> agriculture	<input type="checkbox"/> museum
<input checked="" type="checkbox"/> building(s)	<input type="checkbox"/> private	<input checked="" type="checkbox"/> unoccupied	<input type="checkbox"/> commercial	<input type="checkbox"/> park
<input type="checkbox"/> structure	<input type="checkbox"/> both	<input checked="" type="checkbox"/> work in progress	<input type="checkbox"/> educational	<input type="checkbox"/> private residence
<input type="checkbox"/> site	Public Acquisition	Accessible	<input type="checkbox"/> entertainment	<input type="checkbox"/> religious
<input type="checkbox"/> object	<input type="checkbox"/> in process	<input type="checkbox"/> yes: restricted	<input type="checkbox"/> government	<input type="checkbox"/> scientific
	<input type="checkbox"/> being considered	<input checked="" type="checkbox"/> yes: unrestricted	<input type="checkbox"/> industrial	<input type="checkbox"/> transportation
	n/a	<input type="checkbox"/> no	<input type="checkbox"/> military	<input checked="" type="checkbox"/> other: vacant

4. Owner of Property

name Seattle School District

street & number 815 Fourth Avenue North

city, town Seattle vicinity of state Washington 98109

5. Location of Legal Description

courthouse, registry of deeds, etc. King County Dept. of Records

street & number King County Admin. Bldg., 4th & James

city, town Seattle state Washington 98104

6. Representation in Existing Surveys

"An Inventory of Building & Urban Design

title Resources for Queen Anne"

has this property been determined eligible?

yes ☒ nodate 1975 federal state county ☒ local

depository for survey records City of Seattle Office of Urban Conservation

city, town 400 Yesler Building, Seattle state Washington 98104-2696

7. Description

Condition

☐ excellent
☐ good
☒ fair

☐ deteriorated
☐ ruins
☐ unexposed

Check one

☐ unaltered
☒ altered

Check one

☒ original site
☐ moved date _____

Describe the present and original (if known) physical appearance

Queen Anne High School is a complex of educational buildings at the top of Seattle's Queen Anne Hill. The site of the building (completed in 1909, with additions completed in 1929 and 1955) consists of three acres bounded by Galer Street on the north, an alley on the south, Second Avenue North on the west and Third Avenue North on the east. The site was purchased originally as a whole, with future expansion anticipated. Streets with single family houses and apartments surround the site. Water reservoir tanks and television broadcasting towers also are located near the school property. The school building is a landmark on the skyline visible from all directions in the city and sound.

1909 BUILDING

The 1909 building, designed by Seattle architect James Stephen, is an imposing structure of four stories and attic. It fronts on Galer Street, extending the full width of the block from Second to Third Avenue. Overall plan dimensions are 265 feet by 165 feet, with about 24,000 square feet per floor. Height from grade to roof peak averages 80 feet on Galer. The plan is I-shaped, with formal entries centered on the north, east, and west facades and a projecting wing, containing an assembly hall, centered on the south.

The design of the original building reflects the Classical Revival Style of the period (derivative of late Renaissance models) in its massing, axial symmetry, pedimented pavilions, and ornamented cornice and parapet. The facade is divided horizontally by terra cotta courses into the rusticated basement and first story, the two upper stories, and the crowning cornice and parapet. A central pedimented pavilion projects from the facade and houses the front entry. The entry is sheltered by a portico with full entablature supported by four unfluted columns. Projecting wings flank the facade. The east and west elevations are dominated by pedimented pavilions with entry porticoes.

The buff colored, pressed brick of the exterior walls is a smooth, uniform product layed with precise one-quarter inch joints, resulting in a refined appearance unusual for Seattle schools of the period. Masonry has been repointed in places and remains in good condition, although dirty. The walls are punctuated with regularly spaced, broad windows set in either flat or segmentally arched openings with pronounced keystones and terra cotta heads and sills. The windows on the upper stories are separated by pilasters and engaged piers, ornamented with terra cotta capitals and wreaths. The heavy cornice features terra cotta modillions and consoles and the pediment is capped with terra cotta globes.

The roof is hipped and gabled, giving prominence to the parapet. Seven bracketed cupolas with ventilation louvers, originally topped with glass skylights, are regularly spaced along the roofline. The roof was originally covered with painted standing seam tin roofing, with galvanized iron hip rolls and finials. Now, green mineral surfaced asphalt roll roofing covers the tin and skylights. A sheet metal coping added in 1955 covers the original terra cotta coping of the parapet.

The building is constructed of reinforced concrete footings and basement walls; load-bearing masonry exterior walls and partitions, un-reinforced; wood joist floors except at corridors and stairs, which are reinforced concrete; trussed wood rafter framing and board sheathing supported on heavy timber attic trusses and posts. Light steel I-beams brace the parapet corners, and steel angles tie it to floor framing. Additional steel and wood bracing was added in 1955, apparently for seismic reinforcement.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number

7

Page

2

The plan uses symmetrical double-loaded corridors with open stairwells near each end of the "I" on the south side. Corridors are spacious; the main corridor is 17 feet wide. Classrooms have 13 foot ceiling heights with large sets of double-hung windows and an unusual ventilation system using masonry flues on inside walls, for ample daylight, ventilation, and temperature control.

Interior finishes are a departure from earlier Seattle schools; the use of wood and other combustible finishes has been minimized. The architect had seen the Chicago fire and had been very active in rebuilding Seattle after the disastrous fire of 1889. This building puts in practice the latest theories of fireproof construction. Interior walls are plastered brick masonry rather than wood stud walls. Hall wainscots are Keene's cement rather than wood. Hall floors and stairs are of reinforced concrete rather than timber and wood flooring. Even door casings are reduced to plaster returns. Classroom wainscots were painted burlap, and classroom floors were painted fir. Many classrooms retain original finishes, which for the most part are simple and straight forward.

The south wing contains a gym at the lowest elevation, sunk eight feet below the first floor to provide a 20 foot ceiling height; a two-story assembly hall with stage entered from the second (main) floor off the main entry, and a balcony entered from the third floor; and a lunchroom on the top floor which gave the students an attractive place to spend the noon hour, with extensive views of the bay and mountains. The gym is intact. The assembly hall stage was demolished, the balcony enclosed and its floor leveled to make lounges. The lunch room was converted to library use in 1955.

The original building exterior appearance is largely intact except on the south side where later wings have been attached. Modifications on the street facades are of minor consequence. The interior has had minor alterations made each time a new wing was added.

1929 ADDITION

The addition was designed in 1927 by F.A. Naramore, then architect for the school district. Attached to the south side of the 1909 building, it consists of a one story wing on the east replacing the original boiler room and adding dressing rooms and a gym; an assembly hall with 1004 fixed seats on the main floor, 418 balcony seats, and a large proscenium stage with fly loft; and a three story classroom wing on the west.

The addition is constructed of reinforced concrete footings, slabs-on-grade, framing and structural slabs, bearing walls and shear walls; laminated wood roof decking on metal framing at the gym and assembly hall; and wood roof decking on timber framing at the classroom wing.

The exterior is faced with brick and terra cotta similar in color to the original, with simpler detailing. The south elevation of the assembly hall does not include any of the decorative treatment of the original building. The street facades are more in keeping with the original, maintaining the rusticated masonry base of the building. The 1929 wing is considered a contributing element in the nomination.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only
received
date entered

Continuation sheet

Item number

7

Page

3

1955 ADDITIONS AND ALTERATIONS

Naramore Bain Brady and Johanson designed alterations and additions constructed to the south of the 1929 wing. Alterations included roof improvements; seismic reinforcement in the attic of the 1909 building; and subdivision of large labs, shops, assembly room and lunchroom in the 1909 building, which were now replaced by the additions. A two story wing on the west side, connected by an enclosed passage at its second level to the 1929 wing, contains shop, drawing and homemaking classrooms. This addition has a reinforced concrete frame with partitions, clad with lightweight metal curtain wall and buff-colored brick veneer. A one story wing on the east contains music rooms, a new lunchroom and kitchen. Its structure is light steel frame with three inch tongue and groove wood roof decking on reinforced concrete slab-on-grade and structure floor slab on cantilevered concrete beams.

These additions are typical modern design of the 1950's, not in keeping with the design of the original building except in color, but rather innocuous "background" buildings. The 1955 additions are considered non-contributing elements in the nomination.

ADJACENT SCHOOL PROPERTY

In 1959, a playfield was constructed across Galer Street to the north. Temporary classroom buildings also occupied part of the field for a time. A gym was built in 1961 across Second Avenue North to the west. The gym is now in active use as a community recreation facility, and the playfield is currently being considered as a new site for John Hay Elementary School. Due to their recent vintage, and the fact that the sites are not part of the original property, the playfield and 1961 gym are not included in this nomination.

8. Significance

Period	Areas of Significance—Check and justify below			
prehistoric	archeology-prehistoric	community planning	landscape architecture	religion
1400-1499	archeology-historic	conservation	law	science
1500-1599	agriculture	economics	literature	sculpture
1600-1699	<input checked="" type="checkbox"/> architecture	<input checked="" type="checkbox"/> education	military	social/
1700-1799	art	engineering	music	humanitarian
1800-1899	commerce	exploration/settlement	philosophy	theater
<input checked="" type="checkbox"/> 1900-	communications	industry	politics/government	transportation
		invention		other (specify)

Specific dates Construction: 1909, 1929, 1955 1909: James Stephen
 Builder/Architect: F.A. Naramore
 Period of Significance: 1909-1935 1929: F.A. Naramore
 Statement of Significance (in one paragraph) 1955: Naramore, Bain, Brady & Johanson

An enduring landmark on the crest of Queen Anne Hill, Queen Anne High School is closely associated with the growth of the surrounding neighborhood, the evolution of the city school system, and the development of school architecture in Seattle. Completed in 1909, the school was among the first high schools constructed in the city and an outstanding example of the work of prominent school architect James Stephens (whose model school plan of 1901 had been adopted statewide). Stephens designed an imposing structure, distinguished by its classical style and innovations in fireproofing, heating and ventilating systems, and classroom facilities. Enlarged in 1929, and again in 1955, the high school continued to serve as the focal point for public education in Queen Anne and a dominant feature of the hill.

Historical Background

A sparsely settled area in the 1880's, just recently logged, and connected to Seattle only by a crude wagon road, Queen Anne Town was home to a small group of loggers, dairy farmers, and workers in the mills and retail outlets of Seattle. By 1891, when the area was annexed to the city of Seattle, the first residential districts had been platted but not until the Klondike gold rush era of the late 1890's did the area boom as a desirable residential neighborhood, connected to Seattle by streetcar lines and improved roads.

As population grew, the demand for schools increased. No school existed on Queen Anne until growing community demand convinced the school board to build a one room "shack" in 1890 in a logged clearing. At that time, no separate high school building existed in Seattle. In 1896, West Queen Anne School was built, the first permanent school on the hill. In 1902 and 1905, the first high schools were built in Seattle. Between 1900 and 1910, Seattle built 38 schools and annexed 14 others, each of which was soon crowded. Queen Anne was the third high school built.

Area of Significance: Education

The construction of the new school marked the growth and influence of the Queen Anne community; it also reflected the development of public education in Seattle. The new high school was considered the finest and most modern in the city. The School Board Annual Report for 1909-10 noted that "the opening of Queen Anne High School this year marked the summit of achievement thus far in Seattle school architecture. In arrangement, in completeness, in adequateness of equipment, and in convenience, it rivals the best high school buildings anywhere, although it is not so elaborate or expensive as many." To a different audience (builders and designers, not taxpayers), Edgar Blair (who later became School District Architect) reported that "the new Queen Anne High School is the most modern and costly school building in Seattle. No expense has been spared to obtain everything of the best. In the general design of the structure, the aim has been to provide spacious corridors, ample exits, abundant light and fresh air, accommodation for all students in assembly, and toilet facilities on every floor. The recitation rooms are small, seating from twenty to thirty students. The laboratories and shops are commodious, and the equipment is of the best. Athletics are recognized in providing

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only
received
date entered

Continuation sheet

Item number

8

Page

2

a large gym and shower rooms. The growing importance of manual training has been shown in the ample space devoted to its various branches."⁴

The modern and spacious facilities described by Seattle school officials in 1909 continued to serve the Queen Anne-Magnolia area for two decades. By 1929, however, new elementary schools in the neighborhood were sending more students to the high school and an addition was necessary to accommodate the increase. The transitional character of the 1929 addition exemplified the shift from glorifying classical ages to celebrating a modern industrial age, and toward making schools more "functional," and more modest in scale and cost. The school district architect for the 1929 addition, F.A. Naramore, became a principal of Naramore, Bain, Brady and Johansen, architects of the modest 1955 addition and many more schools in the state.

The 1929 addition included a gym, assembly hall, and classrooms, facilities used by thousands of students and teachers. The changes in architecture of the addition shows how the community not only kept up with increasing enrollment but embraced modern attitudes toward education, incorporating new programs, functional arrangements, and architectural styles.

Locally, the school complex is also significant as a focus of community life for the Queen Anne-Magnolia area. "Socially, the building of Queen Anne High School provided the hill with a central cohesiveness. It enabled children to begin and end their pre-college education while remaining on the hill. The high school contributed significantly towards the creation of a unified community. Thousands of Queen Anne residents, while starting their education at any of the hill's grade schools, ended up together at Queen Anne High School. The school brought the neighborhood together and created a unique small town atmosphere."⁵ The school is also associated with the life of Otto L. Luther, the school's first principal, who, in his 42 year tenure, became an institution himself for the community.

Area of Significance: Architecture

The architect of the original building, James Stephen, arrived in Seattle in 1889 "while the city was still smoking" after the great fire. He immediately became involved in the reconstruction program. In 1891, Stephen formed a partnership with Timotheus Josenhans, an architect/engineer experienced in educational facilities. In 1899, he was elected by the School Board as Official School Architect, continuing in that position until 1908. Following his departure from that position to broaden his practice, "he continued to design schools within the district...the most notable of these school projects being Queen Anne High School (1909)."⁸ Stephen was responsible for the design of more than 50 schools throughout Washington,⁹ and he developed the "Model School Plan" followed in Seattle and elsewhere. "The Model School Plan was a flexible and economical approach to school construction implemented during a period of rapidly expanding school enrollments. James Stephen's floor plan allowed a school to be built in sections, as the need for more space increased."¹⁰ The I-shape plan of Queen Anne appears to be an elaboration of the Model School Plan, quite similar to Greenlake, Interlake, and Meany Schools in Seattle,

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number

8

Page

3

which were simple wood frame buildings.¹¹ Other Stephen projects are listed in the National Register of Historic Places, including the Administration Building (1895) and Stevens Hall (1896) on the Washington State University Campus, Pullman; Summit School (1905), Seattle; and Interlake School (1904), Seattle.

Prior to the Great Fire, and continuing until about 1909, almost all Seattle schools were frame construction with wood siding. Of the 56 schools built from 1870 through 1909, only 18 were of masonry. Few of these are extant. Prior to Queen Anne, the masonry work was generally unrefined red brick versions of Richardsonian Romanesque, or simpler Classical design. Queen Anne is the first built in a refined and classically detailed manner,¹² using light colored brick and terra cotta with fine joints and rich ornamentation.

The 1909 building demonstrates the architect's and community's concern with fire safety after the great fire, and was the most advanced in Seattle in this regard. "In the construction of this school, the object has been to reduce the woodwork to a minimum and to make the structure as nearly fireproof as possible. Every room is surrounded by brick walls. All doors and windows have plastered jambs, thus doing away with all casings. The corridors and stairways are all of reinforced concrete finished in non-combustible materials instead of the varnished or painted wood used up to this time."¹³

The building included a sophisticated clock, telephone intercom and bell system, claimed to be "not only the most complicated of any in Seattle, but also to be the first all-conduit and fireproof system installed in the city."¹⁴

Fresh and heated air was brought to classrooms by an innovative system of plenums, thermostatically controlled dampers for each classroom, and masonry flues with inlets and outlets in each room. Air entered the building at the east and west entry arches, went down through tunnels to a sub-basement fan room and heating coils, up through the classrooms, and was exhausted through rooftop louvers. "The heating system is complete, and in every sense of the word, modern. It excels that in any of the other Seattle schools and is not equalled by any other building in the city. Its economy of operation and its auxiliary motive drive are the two most important features."¹⁵ The auxiliary drive was an early version of an "economizer cycle," now required by energy codes, which allowed the ventilation fans to be run using fresh air, without the steam boilers operating.

Queen Anne High School remained in continuous use until 1981. It is currently being converted into apartments.

FOOTNOTES

1. Kreisman, Lawrence. West Queen Anne School-Renaissance of a Landmark (Seattle: West Queen Anne Associates, et al., 1984) pp. 7-9.
2. "Permanent Record of School Buildings," Seattle School District Archives.
3. Annual Report of the Public Schools (Seattle School District No. 1, 1909-10, 1910-11).
4. Blair, Edgar, "Architecture in the Greater Northwest: The Queen Anne High School," Pacific Builder and Engineer, November 13, 1909, pp. 444-450.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number

8

Page

4

5. Seymour, Kathryn, President of Queen Anne Historical Society, letter to author, May 18, 1984.
6. Ibid; and personal communication with George S. Farmer, Seattle, principal from 1951-1967
7. Stephen, J. Howard, Personal letter/Biography of James Stephen. Written to Dr. Earle Connette, Manuscripts-Archives Division, Washington State University, 1972.
8. Krafft, Katheryn. Interlake Public School (Seattle) National Register of Historic Places Nomination Form 1983.
9. Stephen, J. Howard, opp. cit., chronology.
10. Krafft, Katheryn, opp. cit.
11. Personal observation of Facilities Atlas, Seattle School District Archives.
12. Seattle School Histories 1869-1974, Seattle Public Schools, 1974, pp. 243-244; and Facilities Atlas and Photograph Archives, Seattle School District Archives.
13. Blair, Edgar, opp. cit., p. 449.
14. Ibid., p. 449.
15. Ibid, p. 446-448.

9. Major Bibliographical References

Annual Report of the Public Schools, Seattle School District No. 1, Seattle, 1909-10,
1910-11. Depository: Seattle School District Archives.
Archives of the Queen Anne Historical Society, Seattle.
Krafft, Kathryn. Interlake Public School (Seattle) National Register of Historic Places
Nomination Form, 1983. (continued)

10. Geographical Data

Acreage of nominated property three

Quadrangle name Seattle North, WA

Quadrangle scale 1:24,000

UTM References

A 10 548825 5275440
Zone Easting Northing

B 10 548825 5275275
Zone Easting Northing

C 10 548720 5275275

D 10 548720 5275440

E

F

G

H

Verbal boundary description and justification

List all states and counties for properties overlapping state or county boundaries

state n/a code county code

state code county code

11. Form Prepared By

name/title Donald T. Brubeck, Associate

Edited by Leonard Garfield
Archaeology & Hist. Pres.

organization The Bumgardner Architects

date May 25, 1984

street & number 51 University Street, Suite 300

telephone (206) 223-1361

city or town Seattle

state Washington 98101

12. State Historic Preservation Officer Certification

The evaluated significance of this property within the state is:

 national state X local

As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.

State Historic Preservation Officer signature

title SHPO

date 10-8-85

For NPS use only

I hereby certify that this property is included in the National Register

date

Keeper of the National Register

Attest:

date

Chief of Registration

United States Department of the Interior
National Park Service

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

Date entered

Continuation sheet

Item number

9

Page

2

- Krafft, Katheryn. Summit School (Seattle) National Register of Historic Places Nomination Form, 1978.
- Kreisman, Lawrence. West Queen Anne School: Renaissance of a Landmark, West Queen Anne Associates' Ltd. Partnership, Seattle School District, Historic Seattle Preservation and Development Authority, First Security Realty Services West, Seattle, 1984.
- The Kuay Annual, Queen Anne High School, Vol. 6, No. 8, June 1915; and Vol. 7, No. 7, June 1916. Depository: Seattle School District Archives.
- Pacific Builder and Engineer, "Architecture in the Greater Northwest: The Queen Anne High School...Its Construction and Equipment." pp. 444-450, November 13, 1909.
- "Permanent Record of School Buildings," Seattle School District Archives.
- Photograph Archives, Seattle School District Archives.
- Photograph Archives, Washington State Historical Society, Tacoma.
- Plan Files, Properties Systems, Seattle School District.
- Queen Anne and Magnolia News, "Queen Anne High School Supplement," 28 pages, June 23, 1981. Depository: Seattle School District Archives.
- Record of the Proceedings of the Board of Directors of Seattle School District, Vol. 4-11, Seattle School District Archives.
- Seattle School Histories 1869-1974, published by Department of District Relations, Seattle Public Schools, 1974.
- Seymour, Katheryn. President, Queen Anne Historical Society. Letter regarding Queen Anne High School landmark significance. May 18, 1984. Queen Anne Historical Society, Seattle.
- "Statement of School Property, Real Estate and Buildings," June 30, 1910. Seattle School District Archives.
- Steinbrueck, Victor, and Folke Nyberg. An Inventory of Building and Urban Design Resources for Queen Anne. Historic Preservation and Development Authority, 1975.
- Stephen, J. Howard. Personal Letter/Biography of James Stephen. Written to Dr. Earle Connette, Manuscripts-Archives Division, Washington State University, 1972.
- Transitions, a history of Queen Anne High School, 1981. Depository: Seattle School District Archives.
- Troxel, J. Loren. Superintendent, Seattle Public Schools. Letter to Mrs. Karl D. Pflugrath, granddaughter of James Stephen, regarding Stephen's work as School District Architect. February 4, 1974.





Queen Anne High School
Seattle, King County, WA

USGS quad: Seattle North, WA (7.5)


UTM references:

- A. 10/548825/5275440
- B. 10/548825/5275275
- C. 10/548720/5275275
- D. 10/548720/5275440



TOUWAMISH HEAD
1579 III SW

Mapped by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS and King County Engineer office
Topography from aerial photographs by multiplex methods
Aerial photographs taken 1943. Field check 1949
Polyconic projection. 1927 North American datum
10,000-foot grid based on Washington coordinate system
north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 10, shown in blue
Red tint indicates areas in which only
landmark buildings are shown
No distinction is made between barns, dwellings,
commercial and industrial buildings



UTM GRID AND 1968 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

FOR S


Queen Anne High School
Seattle, Washington
Photograph by: KIRO Chopper 7
Date: 8/16/63
Location of negative: Camera Craft, Inc., Seattle
(R.C. Crooks #18)
Photo credit: Seattle School District Archives
Aerial view from northwest
Photo number 1 of 14

8-16-63-18



Queen Anne High School
Seattle, Washington
Photograph by: KIRO Chopper 7
Date: 8/16/63
Location of negative: Camera Craft, Inc. Seattle
(R.C. Crooks #20)
Photo Credit: Seattle School District Archives
Aerial view from southwest
Photo number 2 of 14

8-16-63-20



Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Date: 5/8/84
Location of negative: The Bumgardner Architects

View from north (Galer Street)
Photo 3 of 14




Queen Anne High School
Seattle, Washington

Photograph by: D. Brubeck, The Bumgardner Architects


Location of negative: The Bumgardner Architects

View from WSW of 1909 building (Second Avenue West)
Photo number 4 of 14




Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Location of negative: The Bumgardner Architects

View from SW of 1955 and 1929 classroom wings and
1909 building
Photo number 5 of 14



Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Location of negative: The Bumgardner Architects

View from SE of courtyard, 1955 classroom wing and
1929 addition
Photo number 6 of 14




Queen Anne High School
Seattle, Washington

Photograph by: D. Brubeck, The Bumgardner Architects

Location of negative: The Bumgardner Architects

View from south: courtyard, 1955 Lunch & Music wing,
foreground; 1927 auditorium and gym,
middle ground; 1909 building,
background.


Photo number 7 of 14



Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Location of negative: The Bumgardner Architects


View from northwest: 1909 building, left; 1929 classroom
wing, right

Photo number 8 of 14



Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Location of negative: The Bumgardner Architects

View from northwest: 1955 classroom wing
Photo number 9 of 14




Queen Anne High School
Seattle, Washington

Photograph by: D. Brubeck, The Bumgardner Architects

Location of negative: The Bumgardner Architects

View from southeast: 1929 addition, foreground;
1909 building, background

Photo number 10 of 14




Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Location of negative: The Bumgardner Architects

View from northeast: 1955 Music and Lunchroom wing
Photo number 11 of 14



Queen Anne High School
Seattle, Washington
Photograph by: D. Brubeck, The Bumgardner Architects
Location of negative: The Bumgardner Architects

Detail: gable end, north facade of 1909 building
Photo number 12 of 14




Queen Anne High School
Seattle, Washington

Photograph by: Unknown

Location of negative: Seattle School District Archives,
Annual Report 1909-1913, p 6

View from northeast: 1909 building, 1909 or 1910

Photo number 13 of 14



FROM THE PHOTO COLLECTION OF THE WASHINGTON
STATE HISTORICAL SOCIETY, 315 N. STADIUM WAY,
TACOMA, WA 98403. REPRODUCTION, PHOTOCOPYING
OR RESALE OF THIS IMAGE WITHOUT WRITTEN
PERMISSION FROM THE SOCIETY IS PROHIBITED.
VIOLATORS WILL BE PROSECUTED.

Queen Anne High School
Seattle, Washington

Photograph by: Asahel Curtis

Location of negative: Washington State Historical
Society Library, Tacoma, WA
(glass plate)

View of 1909 building from north, at completion
of construction, 1909.

Photo number 14 of 14

